

## Hollowcore Load Span Table

<b>150mm Depth</b> <i>Clear Span(m)</i>	3	4	5	6	7	8
Without Structural Screed (kN/m <sup>2</sup> )	26.5	14	8	5	3	1.5
With 75mm Structural Screed (kN/m <sup>2</sup> )	51	25	15	9	5	2.5

<b>200mm Depth</b> <i>Clear Span(m)</i>	5	6	7	8	9	10
Without Structural Screed (kN/m <sup>2</sup> )	18	11.5	8	5.5	3.5	2.5
With 75mm Structural Screed (kN/m <sup>2</sup> )	20	16.5	12	8	5	3

<b>250mm Depth</b> <i>Clear Span(m)</i>	7	8	9	10	11	12
Without Structural Screed (kN/m <sup>2</sup> )	13.5	9.5	7	5	3	2.5
With 75mm Structural Screed (kN/m <sup>2</sup> )	16	13.5	9.5	6.5	4.5	3

<b>300mm Depth</b> <i>Clear Span(m)</i>	8	9	10	11	12	13
Without Structural Screed (kN/m <sup>2</sup> )	14	10	7.5	5.5	4	2.5
With 75mm Structural Screed (kN/m <sup>2</sup> )	15	12	10	7	4.5	2.7